

'POLYCAB' PVC insulated unsheathed bright annealed bare copper conductor single core industrial cable & PVC insulated, PVC round sheathed multicore industrial cables for voltage grade upto 1100V as per IS694:1990 (POLYCAB IND FLEXIBLE (FRLS) INSULATED CABLE) 5CORE TO 24CORE (RATE PER METER)

COND. AREA SQ. MM.	COND. CONST. (NO./DIA.MM.)	AMP	1 CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.20	05	14.00	35.70	48.95	62.60	80.35	95.95	108.00	128.00	159.00	186.00	214.00	244.00	282.00	356.00
0.75	24/0.20	08	19.65	47.70	66.30	85.20	113.55	137.00	153.00	180.00	226.00	263.00	309.00	348.00	412.00	514.00
1.00	32/0.20	13	25.00	60.70	84.30	109.00	146.25	176.15	199.00	231.00	287.00	341.00	397.00	452.00	531.00	665.00
1.50	30/0.25	17	36.05	82.50	118.50	153.50	199.85	243.25	274.00	316.00	403.00	474.00	561.00	647.00	751.00	962.00
2.50	50/0.25	24	59.25	136.00	187.00	253.00	325.00	393.00	451.00	536.00	658.00	790.00	918.00	1049.00	1215.00	1574.00
4.00	56/0.30	30	91.00	200.00	288.00	383.00	515.00	617.00	744.00	-----	-----	-----	-----	-----	-----	-----
6.00	84/0.30	38	136.00	295.00	424.00	563.00	759.00	911.00	-----	-----	-----	-----	-----	-----	-----	-----
10.00	80/0.40	52	239.00	503.00	740.00	977.00	1309.00	POLYCAB INDUSTRIAL FLEXIBLE (FRLS) INSULATED CABLE								
16.00	126/0.4	70	378.00	795.00	1162.00	1535.00	2011.00									
25.00	196/0.4	88	592.00	1325.00	1928.00	2518.00	3651.00									
35.00	276/0.4	110	828.00	1845.00	2679.00	3521.00	5004.00									
50.00	396/0.4	145	1178.00	2618.00	3816.00	5039.00	7244.00									
70.00	354/0.5	215	1669.00	3720.00	5293.00	6997.00	9906.00									
95.00	484/0.5	260	2201.00	-----	7651.00	10093.00	-----									
120.00	608/0.5	305	2831.00	-----	9714.00	12821.00	-----									
150.00	750/0.5	355	3549.00	-----	12144.00	16029.00	-----									
185.00	925/0.5	415	4411.00	-----	14955.00	19767.00	-----									
240.00	1210/0.5	500	5762.00	-----	19305.00	25554.00	-----									
300.00	1527/0.5	585	7211.00	-----	24090.00	31900.00	-----									
400.00	2036/0.5	695	9608.00	-----	32098.00	42254.00	-----									
SIZE SQMM	SINGLE CORE	Size sqmm	Cond No. /dia mm)	Amp	2 CORE	3 CORE	4 CORE									
0.50	14.35	0.50	16/.2	5	37.95	51.51	64.85									
0.75	20.15	0.75	24/.2	8	50.60	69.00	87.90									
1.00	25.35	1.00	32/.2	13	63.40	87.35	112.00									
1.50	36.30	1.50	30/.25	17	85.90	122.10	156.05									
2.50	60.15	2.50	50/.25	24	141.00	192.00	259.00									
4.00	91.60	4.00	56/.3	30	206.00	295.00	389.00									
6.00	138.00	6.00	84/.3	38	302.00	432.00	570.00									
10.00	244.00	10.00	80/.4	52	512.00	751.00	993.00									
		16.00	126/.4	70	816.00	1189.00	1564.00									
		25.00	196/.4	88	1352.00	1966.00	2571.00									
		35.00	276/.4	110	1883.00	2732.00	3596.00									
		50.00	396/.4	145	2673.00	3891.00	5137.00									
		70.00	354/.5	215	3793.00	5397.00	7138.00									

POLYCAB TELEPHONE & SWITCHBOARD CABLES				"POLYCAB" CO-AXIAL CABLES			POLYCAB INDUSTRIAL BRAIDED-UNARMoured SCREEN CABLES								
NO.OF PAIRS	UN-ARMoured (0.50MM)	UN-ARMoured (0.40MM)	ARMoured (0.50MM)				ITEM	RATE OF COIL OF			CORES	16/.20MM 0.5sqmm	24/.20MM 0.75sqmm	32/.20MM 1.0sqmm	48/.20MM 1.5sqmm
RATE PER METER				100 Mtrs. Unar-moured	305 Mtrs. Unar-moured	PER Mtr. Armoured		2	109.50	135.00		152.50	184.00	278.00	414.00
1	11.05	7.90	----	RG-59	2370	7240	-----	3	127.75	167.50	205.00	254.00	372.00	585.00	819.00
2	19.55	13.80	125.00					4	158.00	205.00	250.00	311.00	469.00	715.00	996.00
3	29.00	20.35	-----					5	200.00	246.00	287.00	378.00	630.00	-----	-----
4	38.25	26.00	-----	RG-6	2975	9125	98.26	6	212.00	287.00	327.00	443.00	707.00	4Cx10	1668.00
5	47.45	31.95	143.00	RG-11	6790	20800	153.30	7	228.00	320.00	372.00	490.00	799.00	4Cx16	2691.00
10	92.25	-----	272.00					8	265.00	381.00	422.00	565.00	834.00	4Cx25	4258.00
20	178.55	-----	432.00					10	337.00	420.00	562.00	709.00	933.00	-----	-----
50	463.00	-----	-----	RG-6 CCS	1925	5870	-----	12	381.00	475.00	603.00	799.00	1091.00	-----	-----
100	906.15	-----	-----					14	420.00	562.00	707.00	957.00	1311.00	-----	-----
								16	450.00	655.00	794.00	1057.00	1544.00		
				RG-11 CCS	3890	11850	-----	19	536.00	776.00	937.00	1311.00	1993.00		
								24	647.00	866.00	1176.00	1607.00	2499.00		

POLYCAB CCTV CABLES				INDUSTRIAL CABLE (MULTISTRAND)					POLYCAB JELLYFILLED TELEPHONE CABLES			SERVICE CABLES			POLYCAB 3CORE FLAT SUBMERSIBLE CABLES							
SIZE	RATE PER 90MTRS COIL	RATE PER 180MTRS COIL	RATE PER 300MTRS COIL	SQMM	AMP.	FR (90 Mtrs)	FR 300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	FRLSH 300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	NO.OF PAIRS	UN- ARMoured (0.50MM)	ARMoured (0.50MM)	NO. OF CORES	SQ. MM	Rate per mtr	Conductor Area sqmm	Conductor Construction (no/dia,mm)	RATE PER MTR					
3+1	3900	7800	13000	0.75	7	1480	5805	5985	RATE PER METER			2	2.5	77.95	1.50	22/3	98.15					
4+1	4240	8480	14133						5	123	179				2.50	36/3	152.30					
ARMoured 133.67/- PER METER									10	193	286	2	4	104.00	4.00	56/3	227.80					
UNARMoured 3+1 = 43.33 PER METER									20	324	417				6.00	84/0.3	334.00					
UNARMoured 4+1 = 47.11 PER METER									50	714	898	2	6	138.00	10.00	80/0.4	580.50					
									100	-----	1906				16.00	126/0.4	901.45					
									200	-----	3500	2	10	201.00	25.00	196/0.4	1409.30					
															35.00	276/0.4	1952.80					
												2	16	292.00	50.00	396/0.4	-----					

POLYCAB INDUSTRIAL SPEAKER WIRE OXYGEN FREE (Rate per 90 Meter)				POLYCAB LAN (COMPUTER CABLES)				
SIZE	RATE	SIZE	RATE	SIZE	UTP UNARMoured Rate per 305 mtr	UTP ARMoured Rate per mtr	STP UNARMoured Rate per 305 mtr	STP ARM Rate per mtr
23/36	1965	23/38	1335	CAT-5E	12355	-----	-----	-----
40/36	3015	40/38	2215	CAT-6	13360	114.49	20525	125.18
70/36	4090	70/38	3000	CAT 6-A (GOLD)	-----	-----	-----	-----

POLYCAB WELDING CABLES		
Conductor Area sqmm	Conductor Construction No.dia mm	RATE PER METER
16.00	120	450.00
25.00	160	703.00
35.00	230	972.00
50.00	400	1381.00
70.00	600	1952.00
95.00	700	2572.00
120.00	1110	3291.00

Str/Soilld PVC/XLPE Indulated Core/Pair/Triad/Quad lald up together with AI (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	141	0.75	164	1	183	1.5	218	2.5	299
PAIR	2	0.5	206	0.75	247	1	285	1.5	354	2.5	507
PAIR	3	0.5	247	0.75	310	1	369	1.5	471	2.5	700
PAIR	4	0.5	295	0.75	376	1	454	1.5	592	2.5	889
PAIR	5	0.5	345	0.75	446	1	546	1.5	723	2.5	1100
PAIR	6	0.5	398	0.75	519	1	632	1.5	843	2.5	1283
PAIR	7	0.5	437	0.75	569	1	710	1.5	974	2.5	1463
PAIR	8	0.5	489	0.75	650	1	802	1.5	1080	2.5	1657
PAIR	10	0.5	586	0.75	772	1	968	1.5	1317	2.5	2021
PAIR	12	0.5	664	0.75	902	1	1139	1.5	1542	2.5	2409
PAIR	14	0.5	730	0.75	1012	1	1278	1.5	1782	2.5	2744
PAIR	16	0.5	833	0.75	1114	1	1444	1.5	1990	2.5	3115
PAIR	19	0.5	947	0.75	1318	1	1682	1.5	2327	2.5	3652
PAIR	24	0.5	1183	0.75	1656	1	2094	1.5	2924	2.5	4590

Str/Soilld Cu PVC/XLPE Indulated Pair/Triad/Quad lald up together with AI Inner sheathed Mylar/Drain Wire PVC Inner Sheathed Unarmoured PVC Outer Sheathed Instrumentation Cable.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
TRIAD	1	0.5	171	0.75	206	1	232	1.5	288	2.5	398
TRIAD	2	0.5	285	0.75	353	1	391	1.5	505	2.5	730
TRIAD	3	0.5	353	0.75	444	1	507	1.5	665	2.5	984
TRIAD	4	0.5	424	0.75	545	1	634	1.5	836	2.5	1241
TRIAD	5	0.5	490	0.75	652	1	759	1.5	1024	2.5	1524
TRIAD	6	0.5	566	0.75	754	1	890	1.5	1182	2.5	1790
TRIAD	7	0.5	626	0.75	836	1	993	1.5	1332	2.5	2040
TRIAD	8	0.5	705	0.75	918	1	1112	1.5	1510	2.5	2327
TRIAD	10	0.5	835	0.75	1139	1	1352	1.5	1860	2.5	2869
TRIAD	12	0.5	950	0.75	1309	1	1584	1.5	2171	2.5	3395
TRIAD	14	0.5	1080	0.75	1495	1	1811	1.5	2496	2.5	3910
TRIAD	16	0.5	1197	0.75	1666	1	2036	1.5	2828	2.5	4433
TRIAD	19	0.5	1381	0.75	1937	1	2370	1.5	3303	2.5	5198
TRIAD	24	0.5	1710	0.75	2424	1	2962	1.5	4160	2.5	6540
QUAD	1	0.5	196	0.75	239	1	276	1.5	343	2.5	491

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

CORES	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	59.75	76.50	91.75	119.60	187.00
3	74.10	101.00	121.60	161.75	259.00
4	92.00	122.00	156.00	218.00	327.00
5	113.00	151.00	184.00	252.00	413.00
6	131.00	172.00	215.00	304.00	494.00
7	142.00	202.00	250.00	342.00	585.00
8	162.00	218.00	278.00	382.00	653.00

PRICE-LIST NO-13

DATE:- 22 FEBRUARY 2025

CORES	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
10	192.00	270.00	342.00	473.00	798.00
12	227.00	316.00	404.00	560.00	980.00
14	264.00	370.00	467.00	645.00	-----
16	299.00	415.00	525.00	744.0	-----
19	342.00	494.00	621.00	865.00	-----
24	424.00	607.00	768.00	1105.00	-----
Packing 100/300 mtrs. Coils & 2000 mtrs. drums • Note: 3% extra charges for drum packing.					