

PRODUCT	APPROVALS				STANDARD RATING WITHOUT APPROVALS 250V AC	CSA RATING 125VAC / 250V AC	UL RATING 125VAC / 250V AC	VDE RATING 250V AC	TUV RATING 250V AC	BUTTON COLOURS	CIRCUIT FUNCTION SP:Single Pole DP:Double Pole	WITH APPROVAL PRICE/EACH IN RUPEES	WITHOUT APPROVAL PRICE/EACH IN RUPEES
	CSA	UL	VDE	TUV								MRP	MRP
ROCKER SWITCH													
WS 00N	CSA	UL	X	TUV	6(2)A	6A	6A	X	6(2)A	Red, Black, Green, White	SP - F1	24.00	22.00
WS 00N	CSA	UL	X	TUV	6(2)A	6A	6A	X	6(2)A	Red, Black, Green, White	SP - F2, F3	28.00	25.00
WS 00N	CSA	UL	X	TUV	6(2)A	6A	6A	X	6(2)A	Red, Black, Green, White	SP - F4	30.00	27.00
WS 00N	X	X	X	X	6(2)A	X	X	X	X	Red, Black, Green, White	SP - F5	X	31.00
WS 00RN	CSA	UL	X	TUV	6(2)A	6A	6A	X	6(2)A	Red, Black, Green, White	SP - F1	26.00	23.00
WS 00RN	CSA	UL	X	TUV	6(2)A	6A	6A	X	6(2)A	Red, Black, Green, White	SP - F2,F3	30.00	25.00
WS 00RN	CSA	UL	X	TUV	6(2)A	6A	6A	X	6(2)A	Red, Black, Green, White	SP - F4	33.00	30.00
WS 00RL	CSA	UL	X	TUV	6(2)A	6A	6A	X	6(2)A	Red, Amber	SP - F1	41.00	38.00
WS 00RL	CSA	UL	X	TUV	6(2)A	6A	6A	X	6(2)A	Green,	SP - F1	45.00	41.00
WS 01N	CSA	X	X	TUV	6(2)A	4A	X	X	6(2)A	Red, Black, Green, White	DP - F1	36.00	31.00
WS 01N	CSA	X	X	TUV	6(2)A	4A	X	X	6(2)A	Red, Black, Green, White	DP - F4	44.00	39.00
WS 01L	CSA	X	X	TUV	6(2)A	4A	X	X	6(2)A	Red, Amber	DP - F1	67.00	64.00
WS 01L	CSA	X	X	TUV	6(2)A	4A	X	X	6(2)A	Green	DP - F1	71.00	66.00
WS 01NL	CSA	X	X	TUV	6(2)A	4A	X	X	6(2)A	Red, Amber	DP - F1	71.00	66.00
WS 01NL	CSA	X	X	TUV	6(2)A	4A	X	X	6(2)A	Green	DP - F1	74.00	69.00
WS 01L	X	X	X	X	6A DC	X	X	X	6(2)A	Red, Amber, Green 12/24VDC	DP - F1	X	69.00
WS 02N	CSA	UL	X	TUV	6(2)A	6A	6A	X	6(2)A	Red, Black, Green, White	DP - F1	39.00	37.00
WS 02N	CSA	UL	X	TUV	6(2)A	6A	6A	X	6(2)A	Red, Black, Green, White	DP - F2, F3	46.00	42.00
WS 02N	CSA	UL	X	TUV	6(2)A	6A	6A	X	6(2)A	Red, Black, Green, White	DP - F4	50.00	46.00
WS 02N	X	X	X	X	6(2)A	X	X	X	X	Red, Black, Green, White	DP - F5	X	51.00
WS 03N	CSA	UL	X	X	6(3)A	6A	6A	X	X	Red, Black, Green, White	SP - F1	37.00	28.00
WS 03N	CSA	UL	X	X	6(3)A	6A	6A	X	X	Red, Black, Green, White	SP - F4	49.00	39.00
WS 03N	CSA	UL	X	X	6(3)A	6A	6A	X	X	Red, Black, Green, White	SP - F2, F3	38.00	32.00
WS 03L	CSA	UL	X	X	6(3)A	6A	6A	X	X	Red, Amber	SP - F1	49.00	42.00
WS 03L	CSA	UL	X	X	6(3)A	6A	6A	X	X	Green	SP - F1	52.00	46.00
WS 03L	CSA	UL	X	X	6(3)A	6A	6A	X	X	Red, Amber	SP - F2, F3	54.00	46.00
WS 03L	CSA	UL	X	X	6(3)A	6A	6A	X	X	Green	SP - F2, F3	57.00	48.00
WS03L	X	X	X	X	6A DC	X	X	X	X	Red, Amber, Green 12/24VDC	SP - F1	X	43.00
WS 04N	CSA	UL	X	X	16(4)A	16A	16A	X	X	Red, Black, Green, White	DP - F1	64.00	43.00
WS 04N	CSA	X	X	X	16(4)A	16A	X	X	X	Red, Black, Green, White	DP - F4	96.00	68.00
WS 04L	CSA	UL	X	X	16(4)A	16A	16A	X	X	Red, Amber	DP - F1	71.00	52.00
WS 04L	CSA	UL	X	X	16(4)A	16A	16A	X	X	Green	DP - F1	74.00	54.00
WS 04L	X	X	X	X	16A DC	X	X	X	X	Red, Amber, Green 12/24VDC	DP - F1	X	54.00
WS 04L	X	X	X	X	16(4)A	X	X	X	X	Red, Amber	DP - F4	X	80.00
WS 06N	CSA	UL	X	X	16(4)A	16A	16A	X	X	Red, Black, Green, White	DP - F1	64.00	46.00
WS 06N	CSA	X	X	X	16(4)A	16A	X	X	X	Red, Black, Green, White	DP - F4	96.00	68.00
WS 06L	CSA	UL	X	X	16(4)A	16A	16A	X	X	Red, Amber	DP - F1	71.00	52.00
WS 06L	CSA	UL	X	X	16(4)A	16A	16A	X	X	Green	DP - F1	74.00	54.00
WS 06L	X	X	X	X	16A DC	X	X	X	X	Red, Amber, Green 12/24VDC	DP - F1	X	54.00
WS 08N	CSA	X	X	TUV	6(2)A	6A	X	X	6(2)A	Red, Black, Green, White	DP - F6	58.00	54.00
WS 08N	X	X	X	X	6(2)A	X	X	X	X	Red, Black, Green, White	DP - F7	X	57.00
WS 08N	X	X	X	X	6(2)A	X	X	X	X	Red, Black, Green, White	DP - F8	X	59.00
WS 08L	X	X	X	TUV	6(2)A	X	X	X	6(2)A	Red, Amber	DP - F1	63.00	57.00
WS 08L	X	X	X	TUV	6(2)A	X	X	X	6(2)A	Green	DP - F1	65.00	59.00
WS 09N	CSA	X	X	TUV	6(2)A	6A	X	X	6(2)A	Red, Black, Green, White	SP - F6	37.00	33.00
WS 09N	X	X	X	X	6(2)A	X	X	X	X	Red, Black, Green, White	SP - F7	X	34.00
WS 09N	X	X	X	X	6(2)A	X	X	X	X	Red, Black, Green, White	SP - F8	X	37.00

CIRCUIT FUNCTIONS:

F1: Single Throw	F5: Double Throw - Spring Return in One Position
F2: Single Throw - Spring Return on 'ON' position	F6: Double Throw - Centre Off
F3: Single Throw - Spring Return on 'OFF' Position	F7: Double Throw - Centre Off With Spring Return in one position
F4: Double Throw	F8: Double Throw - Centre off with spring return in both positions
F9: Double Throw - with 'ON' 'ON' 'ON' in 3 positions	

PRINTING : Button printing (See Product Catalogue) : Rs.1.00 Extra



PRODUCT	APPROVALS				STANDARD RATING WITHOUT APPROVALS 250V AC	CSA RATING 125VAC / 250V AC	UL RATING 125VAC / 250V AC	VDE RATING 250V AC	TUV RATING 250V AC	BUTTON COLOURS	CIRCUIT FUNCTION SP:Single Pole DP:Double Pole	WITH APPROVAL	WITHOUT APPROVAL
	CSA	UL	VDE	TUV								PRICE/EACH IN RUPEES	PRICE/EACH IN RUPEES
												MRP	MRP
ROCKER SWITCH CONTINUED.....													
WS 10N	X	X	X	TUV	10(4)A	X	X	X	10(4)A	Red, Black, Green, White	SP - F1	31.00	27.00
WS 10N	X	X	X	TUV	10(4)A	X	X	X	10(4)A	Red, Black, Green, White	SP - F2,F3	34.00	31.00
WS 10N	X	X	X	TUV	10(4)A	X	X	X	10(4)A	Red, Black, Green, White	SP - F4	41.00	37.00
WS 10RN	X	X	X	TUV	10(4)A	X	X	X	10(4)A	Black,Grey,White	SP - F1	32.00	27.00
WS 10RN	X	X	X	TUV	10(4)A	X	X	X	10(4)A	Black,Grey,White	SP - F2,F3	34.00	30.00
WS 10RN	X	X	X	TUV	10(4)A	X	X	X	10(4)A	Black,Grey,White	SP - F4	42.00	37.00
WS 10RL	X	X	X	TUV	10(4)A	X	X	X	10(4)A	Red ,Amber	SP - F1	48.00	42.00
WS 10RL	X	X	X	TUV	10(4)A	X	X	X	10(4)A	Green	SP - F1	50.00	46.00
WS 11N	X	X	X	TUV	8(2)A	X	X	X	8(2)A	Red, Black, Green, White	DP - F1	47.00	41.00
WS 11L	X	X	X	TUV	8(2)A	X	X	X	8(2)A	Red, Amber	DP - F1	62.00	58.00
WS 11L	X	X	X	TUV	8(2)A	X	X	X	8(2)A	Green	DP - F1	64.00	60.00
WS 11NL	X	X	X	TUV	8(2)A	X	X	X	8(2)A	Red, Amber	DP - F1	66.00	63.00
WS 11NL	X	X	X	TUV	8(2)A	X	X	X	8(2)A	Green	DP - F1	69.00	65.00
WS 12N	X	X	X	TUV	10(4)A	X	X	X	10(4)A	Red, Black, Green, White	DP - F1	49.00	44.00
WS 12N	X	X	X	TUV	10(4)A	X	X	X	10(4)A	Red, Black, Green, White	DP - F4	68.00	62.00
WS 13N	CSA	UL	X	X	16(4)A	16A	16A	X	X	Red, Black, Green, White	SP - F1	39.00	32.00
WS 13N	CSA	X	X	X	16(4)A	X	X	X	X	Red, Black, Green, White	SP - F4	47.00	42.00
WS 13N	CSA	UL	X	X	16(4)A	X	X	X	X	Red, Black, Green, White	SP - F2, F3	43.00	36.00
WS 13L	CSA	UL	X	X	16(4)A	16A	16A	X	X	Red, Amber	SP - F1	54.00	43.00
WS 13L	CSA	UL	X	X	16(4)A	16A	16A	X	X	Green	SP - F1	57.00	46.00
WS 13L	CSA	UL	X	X	16(4)A	16A	16A	X	X	Red, Amber	SP - F2, F3	58.00	46.00
WS 13L	CSA	UL	X	X	16(4)A	16A	16A	X	X	Green	SP - F2, F3	60.00	48.00
WS 13L	X	X	X	X	16ADC	X	X	X	X	Red, Amber, Green 12/24VDC	SP - F1	X	47.00
WS 14	X	X	X	TUV	10(4)A	X	X	X	10(4)A	Red, Black, Green, White	SP - F1	41.00	X
WS 15N	X	X	X	X	6(2)A	X	X	X	X	Red, Black, Green, White	DP - F1	X	53.00
WS 15N	X	X	X	X	6(2)A	X	X	X	X	Red, Black, Green, White	DP - F4/F6	X	70.00
WS 15N	X	X	X	X	6(2)A	X	X	X	X	Red, Black, Green, White	DP - F7	X	71.00
WS 15N	X	X	X	X	6(2)A	X	X	X	X	Red, Black, Green, White	DP - F8	X	73.00
WS 15L	X	X	X	X	16(2)A	X	X	X	X	Red,Amber	DP - F1	X	68.00
WS 15L	X	X	X	X	16(2)A	X	X	X	X	Green	DP - F1	X	70.00
WS 17N	X	X	X	X	6(2)A	X	X	X	X	Red, Black, Green, White	SP - F1	X	33.00
WS 17N	X	X	X	X	6(2)A	X	X	X	X	Red, Black, Green, White	SP - F4	X	41.00
WS 17N	X	X	X	X	6(2)A	X	X	X	X	Red, Black, Green, White	SP - F6	X	41.00
WS 17N	X	X	X	X	6(2)A	X	X	X	X	Red, Black, Green, White	SP - F7	X	42.00
WS 17N	X	X	X	X	6(2)A	X	X	X	X	Red, Black, Green, White	SP - F8	X	44.00
WS 25N	CSA	UL	X	X	16(2)A	16A	16A	X	X	Red, Black, Green, White	DP - F1	76.00	48.00
WS 25N	CSA	UL	X	X	16(2)A	16A	16A	X	X	Red, Black, Green, White	DP - F4/F6	118.00	48.00
WS 25N	CSA	UL	X	X	16(2)A	16A	16A	X	X	Red, Black, Green, White	DP - F7	123.00	48.00
WS 25N	CSA	UL	X	X	16(2)A	16A	16A	X	X	Red, Black, Green, White	DP - F8	125.00	48.00
WS 35N	CSA	UL	X	X	16(2)A	16A	16A	X	X	Red, Black, Green, White	DP - F1	76.00	59.00
WS 35N	CSA	UL	X	X	16(2)A	16A	16A	X	X	Red, Black, Green, White	DP - F4/F6	118.00	80.00
WS 35N	CSA	UL	X	X	16(2)A	16A	16A	X	X	Red, Black, Green, White	DP - F7	123.00	85.00
WS 35N	CSA	UL	X	X	16(2)A	16A	16A	X	X	Red, Black, Green, White	DP - F8	125.00	87.00
WS 35L	CSA	UL	X	X	16(2)A	16A	16A	X	X	Red,Amber	DP - F1	92.00	71.00
WS 35L	CSA	UL	X	X	16(2)A	16A	16A	X	X	Green	DP - F1	95.00	74.00
WS35L	CSA	UL	X	X	16ADC	16A	16A	X	X	Red, Amber,Green 12/24VDC	DP - F1	95.00	74.00
WS 27N	CSA	UL	X	X	16(2)A	16A	16A	X	X	Red, Black, Green, White	SP - F1	48.00	36.00
WS 27N	CSA	UL	X	X	16(2)A	16A	16A	X	X	Red, Black, Green, White	SP - F4	65.00	46.00
WS 27N	CSA	UL	X	X	16(2)A	16A	16A	X	X	Red, Black, Green, White	SP - F6	65.00	46.00
WS 27N	CSA	UL	X	X	16(2)A	16A	16A	X	X	Red, Black, Green, White	SP - F7	68.00	48.00
WS 27N	CSA	UL	X	X	16(2)A	16A	16A	X	X	Red, Black, Green, White	SP - F8	69.00	49.00



PRODUCT	APPROVALS				STANDARD RATING WITHOUT APPROVALS	CSA RATING 125VAC / 250V AC	UL RATING 125VAC/ 250V AC	VDE RATING 250V AC	TUV RATING 250V AC	BUTTON COLOURS	CIRCUIT FUNCTION SP:Single Pole DP:Double Pole	WITH APPROVAL	WITHOUT APPROVAL	
	CSA	UL	VDE	TUV								PRICE/EACH IN RUPEES	PRICE/EACH IN RUPEES	
												MRP	MRP	
PUSH PUSH SWITCH														
P P85 NO	X	X	X	X	6(3)A	X	X	X	X		F1,F2	X	37.00	
PP 85 NC	X	X	X	X	6(3)A	X	X	X	X		F1,F2	X	37.00	
PP 85 CO	X	X	X	X	6(3)A	X	X	X	X		F1,F2	X	59.00	
PP 93														
	X	X	X	X	6(3)A	X	X	X	X		F1,F2	X	66.00	
PP 94N														
	X	X	X	X	12(4)A	X	X	X	X	Red, Black, Green, White	F1,F2	X	80.00	
PP 94L	X	X	X	X	12(4)A	X	X	X	X	Red,Amber	F1,F2	X	92.00	
PP 94L	X	X	X	X	12(4)A	X	X	X	X	Green	F1,F2	X	92.00	
PP 94L	X	X	X	X	12(4)A	X	X	X	X	Red, Amber,Green 12/24VDC	F1,F2	X	93.00	
PP95 NO														
	CSA	UL	X	X	16(4)A	16A	16A	X	X		F1,F2	55.00	X	
PP 95 NC	CSA	UL	X	X	16(4)A	16A	16A	X	X		F1,F2	55.00	X	
PP 95 CO	CSA	UL	X	X	16(4)A	16A	16A	X	X		F1,F2	94.00	X	
2PP 95 NO														
	CSA	UL	X	X	16(4)A	16A	16A	X	X		F1,F2	93.00	X	
2PP 95 NC	CSA	UL	X	X	16(4)A	16A	16A	X	X		F1,F2	93.00	X	
2PP 95 CO	CSA	UL	X	X	16(4)A	16A	16A	X	X		F1,F2	160.00	X	
PP 96														
	CSA	X	X	X	6(2)A	6A	X	X	X		F1,F2	44.00	X	
PP 98														
	CSA	X	X	X	10(2)A	10A	X	X	X		F1,F2	41.00	X	
PP 398	CSA	X	X	X	10(2)A	10A	X	X	X		F1,F2	116.00	X	
CIRCUIT FUNCTIONS:														
F1: Push to ON & Push to OFF (With latching in ON postion)														
F2: Spring Retun /Momentary														
DOOR LOCK SWITCH FOR WASHING MACHINE														
DLS 99	CSA	X	X	X	16(4)A	16A	X	X	X	Only for OEMs (not for spares for IFB)		215.00	X	
DLS 100	X	X	X	X	16(4)A	X	X	X	X	Only for OEMs (not for spares for IFB)		X	215.00	
ROTARY SWITCH														
RS 215	CSA	UL	X	X	6A	6A	6A	X	X			84.00	X	
RS 208	CSA	UL	X	X	16(4)A	16A	16A	X	X			191.00	X	
RS 220	X	X	X	X	150mA	X	X	X	X			X	71.00	
KEY SWITCH														
KS 01	CSA	X	X	X	2A	2A	X	X	X			244.00	X	
TACTILE SWITCH														
TS-12 (12 X 12 MM)												X	15.00	
TS-06 (6 X 6 MM)												X	11.00	
Dust cap C or D for 12x12mm switch												X	2.00	
STOP/POLE SWITCHES FOR BUSES														
P 40	24V DC 0.1 A		Suitable for 31.7 mm dia pole			Ag plated rivets					X	111.00		
P 40	24V DC 0.1 A		Suitable for 31.7 mm dia pole			Gold plated rivets					X	154.00		
P 41	24V DC 0.1 A		Suitable for 40mm dia pole			Ag plated rivets					X	111.00		
P 41	24V DC 0.1 A		Suitable for 40mm dia pole			Gold plated rivets					X	154.00		
P 44(without adaptor)	24V DC 0.1 A		Suitable for 40mm dia pole			Ag plated rivets					X	111.00		
P 44(without adaptor)	24V DC 0.1 A		Suitable for 40mm dia pole			Gold plated rivets					X	154.00		
Accessories														
Adaptor for P44 only	Suitable for 40mm dia pole											X	44.00	
Dummy plug for P44 only												X	2.00	
TERMINAL STRIPS														
TSS 22-3	15A, 250VAC, 3way											X	47.00	
TSS 22-6	15A, 250VAC, 6way											X	89.00	
TSS 21-12	10A,250V AC, 12way											X	138.00	
TSS 41-12	20A,250V AC,12 way											X	170.00	
TSSL 22-2	20A,250V AC,2 way											X	37.00	
TSSL 22-3	20A,250V AC,3 way											X	47.00	
PL 01	PULL SWITCH											X	64.00	
FOOT SWITCH														
FS 99 equipped with MS40N switch	X					UL 16A,250VAC							492.00	X
Accessories														
Guard												X	787.00	



PRODUCT	APPROVALS				STANDARD RATING WITHOUT APPROVALS 250V AC	CSA RATING 125VAC / 250V AC	UL RATING 125VAC / 250V AC	VDE RATING 250V AC	TUV RATING 250V AC	BUTTON COLOURS	CIRCUIT FUNCTION SP:Single Pole DP:Double Pole	WITH APPROVAL	WITHOUT APPROVAL		
	CSA	UL	VDE	TUV								PRICE/EACH IN RUPEES	PRICE/EACH IN RUPEES		
												MRP	MRP		
CIRCUIT BREAKER : TR11															
TR 11	CSA	UL	VDE	X	Rating 0.5 A - 6A							62.00	49.00		
TR 11	CSA	UL	VDE	X	Rating >6A - upto 12A							59.00	44.00		
TR 11	CSA	UL	VDE	X	Rating 0.5 A - 12A with PCB Terminals							76.00	68.00		
TR 11	CSA	UL	X	X	Rating 15 / 16A							76.00	68.00		
Current marking on the reset button												x	0.00		
Extra for shunt terminal												x	0.00		
Reset button with tripband												x	0.00		
Accessoires															
M10 Metal hex nut												x	6.00		
M10 Metal knurled nut												x	7.00		
Sealing boot with metal M10 knurled boot nut												x	28.00		
CIRCUIT BREAKERS: TR20															
TR20	CSA	UL	X	TUV	Ratings 3A, 4A, 5A, 6A, 7A, 8A, 9A, 10A, 12A, 15A ,16A & 20A							92.00	80.00		
Current marking on the reset button												x	0.00		
Reset button with tripband												x	0.00		
Accessoires:															
M11// M3/8 Metal hex nut												x	7.00		
M11// M3/8 Metal knurled nut												x	9.00		
M11// M3/8 indicator plate												x	15.00		
M11//M3/8 Sealing boot with boot nut												x	34.00		
CIRCUIT BREAKERS: TR 30															
TR30	CSA	UL	X	X	Ratings 20A,25A & 30A with plastic mounting bush or wingclip							178.00	160.00		
	CSA	UL	X	X	Rating 35A with plastic mounting bush or wingclip							191.00	172.00		
	CSA	UL	X	X	Ratings 20A,25A & 30A with Metal M11 or 3/8 mounting bush							191.00	178.00		
	CSA	UL	X	X	Rating 35A with Metal M11 or 3/8 mounting bush							203.00	191.00		
Current marking on the reset button												x	0.00		
Reset button with tripband												x	0.00		
Accessoires:															
M11// M3/8 Metal hex nut												x	7.00		
M11// M3/8 Metal knurled nut												x	9.00		
M11// M3/8 indicator plate												x	15.00		
M11//M3/8 Sealing boot with boot nut												x	34.00		
MICRO SWITCH															
MS 11	CSA	UL	X	X	6(2)A	5A	5A	X	X	CO Connection		38.00	x		
Lever price extra as per list in Page 06															
MS 31	CSA	UL	X	X	16(2)A	16A	16A	X	X	CO 4.8/6.3 Lug Connection		68.00	49.00		
MS 31	CSA	UL	X	X	16(2)A	16A	16A	X	X	NO 4.8/6.3 Lug Connection		53.00	42.00		
MS 31	CSA	UL	X	X	16(2)A	16A	16A	X	X	NC 4.8/6.3 Lug Connection		53.00	42.00		
MS 31	CSA	UL	X	X	16(2)A	16A	16A	X	X	CO Screw Connection		77.00	55.00		
MS 31	CSA	UL	X	X	16(2)A	16A	16A	X	X	NO Screw Connection		59.00	50.00		
MS 31	CSA	UL	X	X	16(2)A	16A	16A	X	X	NC Screw Connection		59.00	50.00		
Lever price extra as per list in Page 06															
MS 40N	CSA	UL	X	X	16(4)A/6(2)A	16/6A	16/6A	X	X	CO 4.8/6.3 Lug Connection		65.00	x		
MS 40N	CSA	UL	X	X	16(4)A/6(2)A	16/6A	16/6A	X	X	NO 4.8/6.3 Lug Connection		50.00	x		
MS 40N	CSA	UL	X	X	16(4)A/6(2)A	16/6A	16/6A	X	X	NC 4.8/6.3 Lug Connection		50.00	x		
MS 40N	CSA	UL	X	X	16(4)A/6(2)A	16/6A	16/6A	X	X	CO 4.8/6.3 Solderable Connection		68.00	x		
MS 40N	CSA	UL	X	X	16(4)A/6(2)A	16/6A	16/6A	X	X	NO 4.8/6.3 Solderable Connection		52.00	x		
MS 40N	CSA	UL	X	X	16(4)A/6(2)A	16/6A	16/6A	X	X	NC 4.8/6.3 Solderable Connection		52.00	x		
MS 40N	CSA	UL	X	X	16(4)A/6(2)A	16/6A	16/6A	X	X	CO Screw Connection		75.00	x		
MS 40N	CSA	UL	X	X	16(4)A/6(2)A	16/6A	16/6A	X	X	NO Screw Connection		58.00	x		
MS 40N	CSA	UL	X	X	16(4)A/6(2)A	16/6A	16/6A	X	X	NC Screw Connection		58.00	x		
Lever price extra as per list in Page 06						16A Standard Operating Force			6A Low Force						
MS 40	CSA	X	X	X	0.1A	0.1A32VDCC/125VA			NO					172.00	x
MS 40	CSA	X	X	X	0.1A	0.1A32VDCC/125VA			NC					172.00	x
MS 40	CSA	X	X	X	0.1A	0.1A32VDCC/125VA			CO					191.00	x
MS 40	CSA	X	X	X	6(4)A	6A	X	X	X	NO		160.00	x		
MS 40	CSA	X	X	X	6(4)A	6A	X	X	X	NC		160.00	x		
MS 40	CSA	X	X	X	6(4)A	6A	X	X	X	CO		172.00	x		
Lever price extra as per list in Page 06															
PUSH BUTTON SWITCH															
P 42 (with MS31 CO 4.8/6.3 Quick connect terminals)												x	98.00		
P 42 (with MS31 1NO or 1NC 4.8/6.3 Quick connect terminals)												x	93.00		
P 43 (with MS 11 CO with solderbale terminals)												x	75.00		