

# Pricelist 2022

Effective from 1<sup>st</sup> May 2022

# Index

➤	16 mm Push Buttons.....	3
➤	Hooters.....	4
➤	Pendants.....	5
➤	Machine Light.....	6
➤	Tower Light.....	7
➤	Limit Switch.....	10
➤	LED Panel Light.....	12
➤	LED Tube Light.....	13
➤	Elevator.....	14
➤	Accessories.....	15




# 16mm Push Buttons




	Part No.	Selection Code	SPDT / DPDT	Colour	Voltage	MRP (INR)
<b>16mm Push Button Round - Illuminated</b> 	SRE03	FD - Momentary FF - Maintained	3 - 1 NO + 1 NC	R - Red G - Green Y - Yellow A - Amber B - Blue W - White	024D - 24 V DC 240A - 240 V AC	350 Momentary 1 NO + 1 NC
			26 - 2 NO + 2 NC			415 Maintained 1 NO + 1 NC
						390 Momentary 2 NO + 2 NC
						445 Maintained 2 NO + 2 NC
<b>16mm Push Button Square- Illuminated</b> 	SSE03	FD - Momentary FF - Maintained	3 - 1 NO + 1 NC	R - Red G - Green Y - Yellow A - Amber B - Blue W - White	024D - 24 V DC 240A - 240 V AC	350 Momentary 1 NO + 1 NC
			26 - 2 NO + 2 NC			415 Maintained 1 NO + 1 NC
						390 Momentary 2 NO + 2 NC
						445 Maintained 2 NO + 2 NC
<b>Protecting Shroud</b> 	HF102101	Round Square 90 Degree Open Close Type				108
<b>Rubber Shroud 19x19x12mm</b> 	HF192023	Rubber Shroud for 16mm Push Button				57


16mm Push Button Round - Illuminated




16mm Push Button Square- Illuminated




Protecting Shroud For 16mm Push Button



# Hooter

	Part No.	Selection Code	Voltage	MRP (INR)
<b>96 x 96 Hooter</b> 	IC01	F59C - Without Acknowledgement	248D - 24 V DC & 48 V DC 114A - 110 V AC & 240 V AC	650 Without Acknowledgement
		F60C - With Acknowledgement		750 With Acknowledgement



	Part No.	MRP (INR)
<b>IP65 High dB Siren (130 dB at 1 Metre)</b> 	IA00F104C024D	4800

# Pendant



Sr. No	Item	Part No.	MRP (INR)
1	3 Way Pendant Emergency, Up, Down Single Speed	EC3M01007	1922
2	3 Way Pendant Emergency, Up, Down Double Speed	EC3M01008	2646
3	5 Way Pendant Emergency, Up/Down Single Speed, Right/Left Single Speed	EC5M01009	3156
4	5 Way Pendant Emergency, Up/Down Double Speed, Right/Left Single Speed	EC5M01011	3880
5	5 Way Pendant Emergency, Up/Down Double Speed, Right/Left Double Speed	EC5M01010	4606
6	6 Way Pendant Emergency/Start, Up/Down Single Speed, Right/Left Single Speed	EC6M01020	4096
7	6 Way Pendant Emergency Stop Turn to Release)/Start, Hoist/Low Double Speed, Right/Left Double Speed	EC6M01021	4784
8	8 Way Pendant Emergency/Start, Up/Down Single Speed Right/Left Single Speed, For/Rev Single Speed	EC8M01022	5380
9	8 Way Pendant Emergency/Start, Up/Down Single Speed Right/Left Single Speed, For/Rev Double Speed	EC8M01023	6836
10	8 Way Pendant Emergency/Start, Up/Down Double Speed Right/Left Double Speed, For/Rev Double Speed	EC8M01024	8012

# Machine Lights

		Voltage	Wattage	Size	Part No.	MRP (INR)
	IP67 Machine Light	20-30 V DC	15W	800mm	IM15WAL024D	14300
		20-30 V DC	30W	1200mm	IM30WAJ024D	20581
	IP67 Work Lights	24 V DC	15W	Short Arm	IM15WAH024C	8500
		24 V DC	15W	Long Arm	IM15WAL024C	14300

# Tower Light



Siren Flasher - 100 dB  
Sound Output



Voltage	Part No.	MRP
240V AC	IA12M34R240A	1944
110V AC	IA12M34R110A	1944
24V AC	IA12M34R024D	1944

Siren-100 dB Sound  
Output



Voltage	Part No.	MRP
240V AC	IA00040C240A	1270
110V AC	IA00040C110A	1270
24V AC	IA00040C024C	1270

Tower Light Without Buzzer		
No. of Stack	Tower Light Description	MRP (INR)
<b>1 Stack Tower Light Without Buzzer</b>		
1	Single Unit Permanent	1066
1	Single Unit Blinking	1211
1	Single Unit Revolving	1402
<b>2 Stack Tower Light Without Buzzer</b>		
2	Two Unit Permanent	1616
2	Two Unit Blinking	1914
2	One Unit Permanent & One Unit Blinking	1766
2	Two Units Revolving	2214
2	One Unit Permanent & One Revolving	1913
2	One Unit Blinking & One Revolving	2060
<b>3 Stack Tower Light Without Buzzer</b>		
3	Three Unit Permanent	2168
3	Two Unit Permanent & One Unit Blinking	2314
3	One Unit Permanent & Two Unit Blinking	2465
3	Three Unit Blinking	2613
3	Three Units Revolving	3060
3	Two Unit Permanent & One Revolving	2459
3	Two Unit Blinking & One Revolving	2756
3	One Unit Permanent, One Blinking, One Revolving	2608
3	One Unit Permanent & Two Revolving	2760
3	One Unit Blinking & Two Revolving	2906
<b>4 Stack Tower Light Without Buzzer</b>		
4	Four Unit Permanent	2719
4	Three Unit Permanent & One Unit Blinking	2918
4	Two Unit Permanent & Two Unit Blinking	3018
4	One Unit Permanent & Three Unit Blinking	3167

Tower Light Without Buzzer		
No. of Stack	Tower Light Description	MRP (INR)
4	Four Unit Blinking	3313
4	Three Unit Permanent & One Revolving	3006
4	Two Unit Permanent & Two Revolving	3308

Tower Light With Buzzer		
No. of Stack	Tower Light Description	MRP (INR)
<b>2 Stack Tower Light With Buzzer</b>		
2	Single Unit Permanent With Buzzer	1800
2	Single Unit Blinking With Buzzer	1945
2	Single Unit Revolving With Buzzer	2090
<b>3 Stack Tower Light With Buzzer</b>		
3	Two Unit Permanent With Buzzer	2351
3	Two Unit Blinking With Buzzer	2650
3	One Unit Permanent & One Unit Blinking With Buzzer	2504
3	Two Units Revolving	2944
3	One Unit Permanent & One Revolving	2643
3	One Unit Blinking & One Revolving	2790
<b>4 Stack Tower Light With Buzzer</b>		
4	Three Unit Permanent With Buzzer	2903
4	Two Unit Permanent & One Unit Blinking With Buzzer	3050
4	One Unit Permanent & Two Unit Blinking With Buzzer	3240
4	Three Unit Blinking With Buzzer	3359
4	One Unit Permanent, One Blinking, One Revolving	3336

## Tower Light Base Selection



## Luminous Lens Selection



## Buzzer Lens Selection



Tower Light Spare Lens Price List			
Sr . No.	Product Description	Part No.	MRP (INR)
<b>Lens - 024V AC/DC</b>			
1	Red Continuous Illumination 024 V AC/DC	ES50LR1U	552
2	Red Blinking Illumination 024 V AC/DC	ES50LR2U	670
3	Red Revolving Illumination 024 V AC/DC	ES50LR3U	865
1	Green Continuous Illumination 024 V AC/DC	ES50LG1U	552
2	Green Blinking Illumination 024 V AC/DC	ES50LG2U	670
3	Green Revolving Illumination 024 V AC/DC	ES50LG3U	865
1	Amber Continuous Illumination 024 V AC/DC	ES50LA1U	552
2	Amber Blinking Illumination 024 V AC/DC	ES50LA2U	670
3	Amber Revolving Illumination 024 V AC/DC	ES50LA3U	865
1	Blue Continuous Illumination 024 V AC/DC	ES50LB1U	552
2	Blue Blinking Illumination 024 V AC/DC	ES50LB2U	670
3	Blue Revolving Illumination 024 V AC/DC	ES50LB3U	865
<b>Lens - 240V AC</b>			
1	Red Continuous Illumination 240 V Ac	ES50LR1X	552
2	Red Blinking Illumination 240 V Ac	ES50LR2X	670
3	Red Revolving Illumination 240 V Ac	ES50LR3X	865

Tower Light Spare Lens Price List			
Sr . No.	Product Description	Part No.	MRP (INR)
1	Green Continuous Illumination 240 V Ac	ES50LG1X	552
2	Green Blinking Illumination 240 V Ac	ES50LG2X	670
3	Green Revolving Illumination 240 V Ac	ES50LG3X	865
1	Amber Continuous Illumination 240 V Ac	ES50LA1X	552
2	Amber Blinking Illumination 240 V Ac	ES50LA2X	670
3	Amber Revolving Illumination 240 V Ac	ES50LA3X	865
1	Blue Continuous Illumination 240 V Ac	ES50LB1X	552
2	Blue Blinking Illumination 240 V Ac	ES50LB2X	670
3	Blue Revolving Illumination 240 V Ac	ES50LB3X	865


Buzzer Lens 024 V AC/DC			
1	Buzzer Continuous Sound Module 024 V AC/DC	ES50Z1U	737
2	Buzzer Intermittent Sound Module 024 V AC/DC	ES50Z2U	737

Buzzer Lens 240 V Ac			
1	Buzzer Continuous Sound Module 240 V Ac	ES50Z1X	737
2	Buzzer Intermittent Sound Module 240 V Ac	ES50Z2X	737

Base			
1	Small Base	ES5001	515
2	Big Base	ES5002	515




Accessories		Part No.	MRP (INR)
<b>Tower Light With Different Mounting</b> 	Base Mounted	ES5019	416

Accessories		Part No.	MRP (INR)
	Wall Mounted Bracket	ES122012A	285

	Pole Height	Part No.	MRP (INR)
<b>Swiveling Base</b> 	100mm	ES60004	1051
	200mm	ES60006	1375
	400mm	ES60010	1712

	Pole Height	Part No.	MRP (INR)
<b>L Clamp</b> 	100mm	ES70004	1185
	200mm	ES70006	1803
	400mm	ES70010	2014


	Buzzer	Voltage	Part No.	MRP (INR)
<b>Multicolour Tower Light</b> 	Without Buzzer	24 V DC	TW11UWDRGA10G	1215
	With Buzzer	24 V DC	TW11UWDRGYZ10G	1701
	Without Buzzer	240 V AC	TW10UWDRGA10G	1215
	With Buzzer	240 V AC	TW11UWDRGYZ10G	1701

# Limit Switch


## SLPB Series (Plastic body)



## SLPSS Series (Plastic body)



## SLMPB Series (Metal body)



## MLAS Series (Plastic body)



## MNPS Series (Plastic body)



<b>Part No.</b>	MNPSS3100D
<b>MRP</b>	92



<b>Part No.</b>	MNPSS3101D
<b>MRP</b>	109



<b>Part No.</b>	MNPSS3103C
<b>MRP</b>	122



<b>Part No.</b>	MNPSS3100GD
<b>MRP</b>	170



<b>Part No.</b>	MNPSS3100RD
<b>MRP</b>	170

## SLMB Series (Metal body)



<b>Part No.</b>	SLMBS3D3
<b>MRP</b>	1385



<b>Part No.</b>	SLMBS3A2
<b>MRP</b>	1546



<b>Part No.</b>	SLMBS3F6
<b>MRP</b>	1385



<b>Part No.</b>	SLMBS3F7
<b>MRP</b>	1385



<b>Part No.</b>	SLMBS3A3
<b>MRP</b>	1385



<b>Part No.</b>	SLMBS3C3
<b>MRP</b>	1670



<b>Part No.</b>	SLMBS3B5
<b>MRP</b>	1828



<b>Part No.</b>	SLMBS3C4
<b>MRP</b>	1913



<b>Part No.</b>	SLMBS3C5
<b>MRP</b>	1670



<b>Part No.</b>	SLMBS3M3
<b>MRP</b>	1386



<b>Part No.</b>	SLMBS3M4
<b>MRP</b>	1386



<b>Part No.</b>	SLMBS3M5
<b>MRP</b>	1386

## SLMSB Series (Metal body)



<b>Part No.</b>	SLMSBS3B4
<b>MRP</b>	1245



<b>Part No.</b>	SLMSBS3E3
<b>MRP</b>	1245



<b>Part No.</b>	SLMSBS3A1
<b>MRP</b>	1245



<b>Part No.</b>	SLMSBS3F6
<b>MRP</b>	1245

## MLPB Series (Plastic body)



<b>Part No.</b>	MLPBS3A2
<b>MRP</b>	323



<b>Part No.</b>	MLPBS3A3
<b>MRP</b>	342



<b>Part No.</b>	MLPBS3C2
<b>MRP</b>	349



<b>Part No.</b>	MLPBS3L3
<b>MRP</b>	318



<b>Part No.</b>	MLPBS3L4
<b>MRP</b>	318



<b>Part No.</b>	MLPBS3C1
<b>MRP</b>	349



<b>Part No.</b>	MLPBS3E5
<b>MRP</b>	365



<b>Part No.</b>	HB482000
<b>MRP</b>	65

PVC CAP



<b>Part No.</b>	MLPBS3C12
<b>MRP</b>	254



<b>Part No.</b>	MLPSS3A5
<b>MRP</b>	175

Door Limit Switch

Cover for Door Limit Switch

<b>Part No.</b>	HC12250SA
<b>MRP</b>	40

# LED Panel Light



Led Panel Light with ON-OFF Switch, White Housing				
Voltage	With Bracket	MRP (INR)	With Magnet	MRP (INR)
240 V AC	IC24A03W240A	670	IC24A04W240A	770
110 V AC	IC24A03W110A	670	IC24A04W110A	770
24 V DC	IC24A03W024D	670	IC24A04W024D	770
12 V DC	IC24A03W012D	670	IC24A04W012D	770

Led Panel Light with ON-OFF Switch, White Housing with Cascading Unit with 1 mtr Wire				
Voltage	With Bracket	MRP (INR)	With Magnet	MRP (INR)
240 V AC	IC24A11W240A	1425	IC24A12W240A	1625
110 V AC	IC24A11W110A	1425	IC24A12W120A	1625
24 V DC	IC24A11W024D	1425	IC24A12W024D	1625
12 V DC	IC24A11W012D	1425	IC24A12W012D	1625

Led Panel Light with ON-OFF Switch, Black Housing				
Voltage	With Bracket	MRP (INR)	With Magnet	MRP (INR)
240 V AC	IC24A03C240A	670	IC24A04C240A	770
110 V AC	IC24A03C110A	670	IC24A04C110A	770
24 V DC	IC24A03C024D	670	IC24A04C024D	770
12 V DC	IC24A03C012D	670	IC24A04C012D	770

Led Panel Light with ON-OFF Switch, Black Housing With Cascading Unit with 1 mtr Wire				
Voltage	With Bracket	MRP (INR)	With Magnet	MRP (INR)
240 V AC	IC24A11C240A	1425	IC24A12C240A	1625
110 V AC	IC24A11C110A	1425	IC24A12C120A	1625
24 V DC	IC24A11C024D	1425	IC24A12C024D	1625
12 V DC	IC24A11C012D	1425	IC24A12C012D	1625

Led Panel Light with ON-OFF Switch, Grey Housing				
Voltage	With Bracket	MRP (INR)	With Magnet	MRP (INR)
240 V AC	IC24A03J240A	670	IC24A04J240A	770
110 V AC	IC24A03J110A	670	IC24A04J110A	770
24 V DC	IC24A03J024D	670	IC24A04J024D	770
12 V DC	IC24A03J012D	670	IC24A04J012D	770

Led Panel Light with ON-OFF Switch, Grey Housing With Cascading Unit with 1 mtr Wire				
Voltage	With Bracket	MRP (INR)	With Magnet	MRP (INR)
240 V AC	IC24A11J240A	1425	IC24A12J240A	1625
110 V AC	IC24A11J110A	1425	IC24A12J120A	1625
24 V DC	IC24A11J024D	1425	IC24A12J024D	1625
12 V DC	IC24A11J012D	1425	IC24A12J012D	1625

# T5 LED Tube Lights



Size	Part No. / Description	MRP (INR)
4 Feet	IT520WCW4MS240A	675
	4 Feet LED Tube Light 20W, 240V AC	
2 Feet	IT512WCW1MSC240A00	540
	2 Feet LED Tube Light 12W, 240V AC	
1 Feet	IT505WCW1MSC240A00	405
	1 Feet LED Tube Light 05W, 240V AC	
150 mm	IT503WCWBMSC240A00	281
	150 mm LED Tube Light 03W, 240V AC	

## Pit Switches



Part No.	Type of Switch	Contact	Cable Gland	Qty. of Cable Gland	Protecting Shroud	Mounting Bracket	MRP (INR)
JLFB0000	Mushroom Head Push Turn	1 NC	PG 13.5	2	1	MS Yellow Passivation	517
JL5C0000	Mushroom Head Push Turn	1 NO + 1 NC	PG 13.5	2	1	MS Yellow Passivation	589
JQFB0000	Mushroom Head Push Turn	1 NC	PG 13.5	1	1	NA	487
JFKE0000	Mushroom Head Push Turn	2 NC	PG 13.5	1	1	NA	559
JMJB0000	Mushroom Head Push Pull	1 NC	PG 13.5	2	NA	MS Yellow Passivation	594
JJJE0000	Mushroom Head Push Pull	2 NC	PG 13.5	1	NA	NA	636

## LED Torch



Part No.	Voltage	Cable Length	Hook	Wattage	MRP (INR)
IL24L40W240A	240V AC	2 Meter With Power Cord	With Hook	5W	789
IL24L56W240A	240V AC	3 Meter With Power Cord	With Hook	5W	833
IL24L22W240A	240V AC	5 Meter With Power Cord	With Hook	5W	921
IL24L55W240A	240V AC	3 Meter With Power Cord	Without Hook	5W	789
IL16N42W240A	240V AC	3 Meter With Power Cord	With Hook	9W	1178
IL24L52W240A	240V AC	1.5 Meter Without Power Cord	With Hook	5W	648
Charging Hand Lamp	Charging at 240V AC	NA	With Hook	9W	3400

# Accessories

	Voltage	Outer Diameter	Part No.	MRP (INR)
<b>Illuminated Legend Plate</b> 	12 V DC	85mm	ELLRG012D	484
	24 V DC	85mm	ELLRG024D	484
<b>Illuminated Legend Plate</b> 	12 V DC	60mm	ELFW012D	387
	24 V DC	60mm	ELFW024D	387
	110 V AC	60mm	ELFW110A	387
	240 V AC	60mm	ELFW240A	387



## Esbee Electrotech LLP

Corporate office: S-42/1, M.I.D.C Bhosari, Pune - 411026.

Plant 1: S-42/1, M.I.D.C Bhosari, Pune - 411026, Maharashtra, India.

Plant 2: J-159, M.I.D.C Bhosari, Pune - 411026, Maharashtra, India.

Plant 3: C-29, M.I.D.C Ahmednagar - 414111, Maharashtra, India.

Email: [info@esbee-electrotech.com](mailto:info@esbee-electrotech.com) | Website: [www.esbee-electrotech.com](http://www.esbee-electrotech.com)



Product catalogue  
(Scan here)